Author index

Alberti, G. 482
Ambrosio, C. 436
Amos, J. F. 311
Anderson, L. R. 118
Änggård, E. 251
Augustin, H. 319
Bailey, D. G. 137
Bajaj, K. L. 148
Bayer, E. 510
Bevenue, A. 49, 142
Bhatia, I. S. 148
Biernacki, W. 135
Bishara, R. H. 526
Blasius, E. 319
Blu, G. 1
Bolleter, W. T. 219
Bondivenne, R. 274
Bonilla, C. A. 345
Boulton, A. A. 19, 30, 39
Bourzeix, M. 83
Bruerton, K. 391
Busch, N. 274
Challis, J. R. G. 228
Champagnol, F. 83
Černý, A. 442
Cohen, J. S. 405
Colleran, E. 458
Cook, L. E. 120
Costantino, U. 482
Dalton, R. W. 219
Dawidzik, J. B. 507
DeLano, F. 49
Demura, H. 338
Dollimore, D. 209
Dybczyński, R. 487
Ellsworth, R. K. 131
Favretto Gabrielli, L. 304
Favretto, L. 304
Fox, W. B. 118
Frater, R. 469
Gabrielli, L. Favretto 304
Glaser, C. B. 151
Godin, C. 66
Grant, D. W. 544
Guiochon, G. 1
Guitraud, J. 83
Gunther, F. A. 520
Haeffner, E. W. 140
Haken, J. K. 114
Heal, G. R. 209
Heap, R. B. 228
Heide, R. ter 127
Hemingway, R. W. 391
Hildrum, K. I. 311
Hills, W. E. 391
Hirschmann, R. P. 118
Hjertén, S. 189
Hogg, J. W. 59
Honma, S. 400
Hüttenrauch, R. 529
Inczédy, J. 112
Iwata, T. 400
Jacob, L. 1
Jacobsen, E. 239
Jaglan, P. S. 520
Jakovljevic, I. M. 526
Jangaard, N. O. 146
Johri, B. N. 340
Jokl, V. 540
Kawano, Y. 49
Klemmer, H. W. 334
Klopstock, J. 504
Kofoed, J. 513
Kohlbeck, J. A. 219
Koyama, M. 338
Králik, D. 379
Kundu, N. 507
Langer Jr., B. W. 150
Latz, H. W. 288
Lawrence, B. M. 59
Lederer, M. 475
Look, M. 145
McAuley, F. 513
Madsen, B. C. 288
Maeda, H. 151
Maier, H. G. 329
Maravalhas, N. 413
Martin, D. R. 209
Martinsson, E. 429
Mattsson, K. 534
Meienhofer, J. 151
Mendoza, C. E. 92
Michailov, M. 103
Millson, M. F. 155
Mondino, A. 260
Monteil, A. 274
Mori, S. 419
Morpurgo, L. 475
Murphy, M. J. 539
Muto, M. 349
Nahrstedt, A. 518
Nakai, T. 338
Nambara, T. 400
Novák, J. 385
O'Carra, P. 458
Ogata, J. N. 142
Ohashi, S. 349
Ossicini, L. 475
Pagé, M. 66
Palo, J. 534
Parr, W. 510
Perry, S. G. 547
Pertoldi Marletta, G. 304
Petryka, Z. J. 447
Pflaum, R. T. 120
Pikulíková, Z. 540
Pleterski, J. 510
Pollak, V. 19, 30, 39

Přistoupil, T. I. 536
Przeszlakowski, S. 162
Putter, I. 405
Rangone, R. 436
Rivers, J. B. 334
Rogozinski, M. 504
Samuelson, O. 429
Šaršúnová, M. 442
Scheffler, I. 529
Schwab, G.-M. 161
Semonský, M. 442
Sewell, P. A. 10
Shields, J. B. 92
Shipman, W. H. 157
Simon, H. L. 118
Simond, J. 274
Sjöquist, B. 251
Sjöström, R. 251
Smith, J. L. 405
Sorantin, H. 103
Stock, R. 10
Stringham, Jr., R. M. 345
Takács, J. 379
Takeshita, M. 349
Takeuchi, T. 419
Tarutani, T. 523
Taylor, I. E. P. 331
Ter Heide, R. 127
Terhune, S. J. 59
Timmer, R. 127
Tóth, L. 72
Tsuji, N. 349
Ueno, Y. 349
VandenHeuvel, W. J. A. 405
Vestergaard, P. 239
Volpert, E. M. 507
Walker, R. I. 157
Wenzel, U. 319
White, L. R. 145
Wobben, H. J. 127
Wrolstad, R. E. 311
Yang, C. 510
Yasuda, S. K. 453
Yauger, Jr., W. L. 334

Sucject index

2-Acetamido-1-(β′-L-aspartamido)-1,2-dideoxy-β-D-glucose, chromatographic isolation from urine, 534
Acids, *p*-hydroxybenzoic, identification and quantitative analysis using reversed-phase TLC, 436
——, organic, identification and determination of their individual amounts in grape juices and wines by chromatography and photodensitometry, 83
——, phenolic, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, 251
Alcohols, phenolic, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, 251
Alkaloids, ergot, separation of diastereomeric (+)-1-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, 442
Amines, aliphatic, deactivation of the GC support for the separation of, 135
——, catechol- and indole-, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, 251
Amino acids, chromatographic isolation of 2-acetamido-1-(β′-L-aspartamido)-1,2-dideoxy-β-D-glucose from urine, 534
——, deuterium-containing, GLC and MS of their TMS derivatives, 405
——, experimental studies for optimising resin column dimensions in the automatic ion-exchange chromatography of, 260
——, a new technique of protein hydrolysis and analysis of the amino acids on an autoanalyser, 413
——, ninhydrin-positive products of carbohydrate hydrolysis, 331
——, rapid GC separation of amino acid enantiomers using N-perfluoroacyl esters, 510
——, synthesis, purification and GC of N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, 507
Aminocaproic acid, gel permeation chromatography of the linear monomer and oligomers in polyamides, 419
Ammonia, isolation using zirconium phosphate cation exchanger, 157
Ampholines, artifacts in isoelectric focusing, 469
Anthocyanin pigment, characterisation of an additional anthocyanin pigment in extracts of strawberries, *Fragaria*, 311
Apparatus, an eluent programmer for column chromatography, 137
——, a system for simultaneous 25-column, capillary column, liquid–solid chromatography, 239
Aromatic compounds, polycyclic, spectrofluorometric *in situ* analysis after separation on acetylated cellulose layers; qualitative and quantitative evaluation, 72
Benzaldehyde cyanohydrin glycosides, diastereomeric, GLC of, 518
Bile pigments, densitometric determination on thin-layer chromatograms, 447
Bilins, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, 458
Biphenyls, polychloro-, the use of Florisil adsorbent for the separation of polychlorobiphenyls from chlorinated pesticides, 142
Camphor, investigation into the composition of lavender and lavandin oil, 127
Caprolactam, gel permeation chromatography of the linear monomer and oligomers in polyamides, 419
Carbamates, pesticidal, sensitivity of pig liver esterase in the detection of 12 carbamate pesticides on thin-layer chromatograms, 92
Carbohydrates, artefacts in amino acid analysis; ninhydrin-positive products of carbohydrate hydrolysis, 331
——, characterisation of an additional anthocyanin pigment in extracts of strawberries, *Fragaria*, 311
——, fluorescent visualisation of trioses on silica gel thin-layer chromatograms, 338
——, partition chromatography of sugars on ion-exchange resins, 429
Catechol amines, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, 251
Chlorophyll *a*, GC determination of some maleimides produced by the oxidation of haeme, 131
Chromates, preparation and separation of mixed hexapseudohalogenochromates(III), 319
1,8-Cineol, investigation into the composition of lavender and lavandin oil, 127
Citrus oil, qualitative and quantitative *in situ* fluorimetry of thin-layer chromatograms of, 288
Column chromatography, an eluent programmer for, 137
——, a simple method for the calculation of the minimum number of theoretical plates required for a chromatographic separation, 112
——, a system for simultaneous 25-column, capillary column liquid–solid chromatography, 239
Column packing, alkali metal fluorides as column packing in GSC, 118
Coumarins, qualitative and quantitative *in situ* fluorimetry of citrus oil thin-layer chromatograms, 288
Cyano–thiocyanatochromates, separation and

characterisation by gel ionophoresis of, 319
2,4-D, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, 334
DDT, use of Florisil adsorbent for the separation of polychlorobiphenyls from chlorinated pesticides, 142
Detection, approximate solutions to the KUBELKA AND MUNK equations, 39
——, an electrical model for the optical behaviour of thin-media chromatograms, 19
——, non-linearity effects in optical scanning of chromatograms, 30
——, a spray reagent for methylated phenolic compounds on thin-layer plates, 148
Dicamba, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, 334
2,4-Dichlorophenoxyacetic acid, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, 334
Dimethylurea herbicides, a chromogenic agent for detection on TLC plates, 145
Dinonylphthalate, comparison of activity coefficients measured by a static and by a dynamic method, 10
Disulphides, chromatographic detection with 5,5′-dithiobis(2-nitrobenzoic acid), 151
Drugs, preparative GC as a clean-up procedure in toxicology, 513
Eluent programmer, for column chromatography, 137
Enzymes, determination of the Stokes radius of native and succinylated glutamate dehydrogenase on Sepharose 4B, 66
Ergot alkaloids, separation of diastereomeric (+)-1-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, 442
Essential oils, some new trace constituents in the essential oil of *Salvia lavandulaefolia*, Vahl., 59
Fragaria, characterisation of an additional anthocyanin pigment in extracts of strawberries, 311
Gas chromatography, contribution to the theory of the retention index system, 379
——, derivation of the differential heat of dissolution from GLC measurements, 1
——, effects of the column length on the HETP, 385
——, errors in head-space analysis, 329
——, imbrication patterns, 114
——, improvement in the elution technique for measurement of adsorption isotherms, 209
Gas–solid chromatography, alkali metal fluorides as column packing, 118
——, nickel complexes as adsorbents, 120
Glucosides, GLC examination of stilbene derivatives, 391
Glutamate dehydrogenase, native and succinylated, determination of the Stokes radius on Sepharose 4B, 66
Glycosides, GLC of diastereomeric benzaldehyde cyanohydrin glycosides, 518
Herbicides, dimethylurea, a chromogenic agent for detection on TLC plates, 145
——, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, 334
Hydrocarbons, chromatographic separation from sulphur, 155
——, comparison of activity coefficients measured by a static and by a dynamic method, 10
p-Hydroxybenzoic acid, identification and quantitative analysis using reversed-phase TLC, 436
(+)-1-Hydroxy-2-butylamides, of D- and L-lysergic and isolysergic acids, diastereomeric, separation by TLC, 442
Indole amines, chromatography of biogenic amine metabolites and related compounds on lipophilic Sephadex, 251
Indoles, thin-layer electrophoresis of indole derivatives, 340
Inorganic anions, paper electrophoresis and anion-exchange PC with various electrolytes, 475
Inorganic ions, densitometric determination of Fe(II)–Fe(III) mixtures after electrophoretic separation using N-(2-hydroxyethyl)-iminodiacetic acid, 540
——, detection of free ions in labelled oils, 103
Inorganic substances, chromatographic behaviour of silicic acid on Sephadex columns, 523
——, effect of resin cross-linking on the anion-exchange separation of rare earth–EDTA complexes, 487
——, elution peak positions of linear phosphates in gradient elution chromatography with an anion-exchange resin, 349
——, preparation and separation of mixed hexapseudohalogenochromates(III), 319
Iodoamino acids, synthesis, purification and GC of N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, 507
Ion exchangers, fibrous thorium phosphate, a new inorganic ion-exchange material suitable for making (support free) inorganic sheets, 482
Iron, densitometric determination of Fe(II)–Fe(III) mixtures after electrophoretic separation using N-(2-hydroxyethyl)iminodiacetic acid, 540
Isoleucine, GLC and MS of deuterium-containing amino acids as their TMS derivatives, 405
Isolysergic acid, separation of diastereomeric (+)-1-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, 442
Lavender and lavandin oil, investigation into the composition of, 127
Leucine, rapid GC separation of amino acid enantiomers using N-perfluoroacyl esters, 510
Linalol, investigation into the composition of lavender and lavandin oil, 127
Linalyl acetate, investigation into the composition of lavender and lavandin oil, 127

Lutidines, deactivation of the GC support for the separation of aliphatic amines, 135
Lysergic acid, separation of diastereomeric (+)-1-hydroxy-2-butylamides of D- and L-lysergic and isolysergic acids by TLC, 442
Maleimides, GC determination of some maleimides produced by the oxidation of haeme and chlorophyll *a*, 131
Mesohaemin, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, 458
Methionine, the separation and detection of methionine and its α-keto and α-hydroxy analogues on thin-layer chromatograms, 150
2-Methoxy-3,6-dichlorobenzoic acid, simul-taneous GC determination of 2,4-D and dicamba in human blood and urine, 334
Methyl parathion and parathion, effect of liquid phase loading and temperature on the relative retentions in GC, 520
Molecular-sieve chromatography, thermodynamic treatment of partition experiments with special reference to, 189
Monosaccharides, fluorescent visualisation of trioses on silica gel thin-layer chromatograms, 338
n-Octyl bicycloheptene dicarboximide, analytical studies of pyrethrin formulations by GC, 49
Oestratrienes, analytical chemical studies on steroids, 400
Oestrogens, preparation, purification and estimation of steroid mono- and diheptafluorobutyrates, 228
Oils, detection of free ions in labelled oils, 103
Parathion and methyl parathion, effect of liquid phase loading and temperature on the relative retentions in GC, 520
Partition chromatography, thermodynamic treatment of partition experiments with special reference to molecular-sieve chromatography, 189
Peptides, a new technique of protein hydrolysis and analysis of the amino acids on an autoanalyser, 413
Peroxidases, starch–iodide as a stain for, 539
Pesticides, analytical studies of pyrethrin formulations by GC, 49
——, carbamate, sensitivity of pig liver esterase in detecting 12 carbamate pesticides on thin-layer chromatograms, 92
——, chlorinated, the use of Florisil adsorbent for the separation of polychlorobiphenyls from, 142
——, a chromogenic agent for detecting dimethylurea herbidices on TLC plates, 145
——, effect of liquid phase loading and temperature on the relative retentions in the GC of methyl parathion and parathion, 520
——, preparative GC as a clean-up procedure in toxicology, 513
——, simultaneous GC determination of 2,4-D and dicamba in human blood and urine, 334
Phenolics, methylated, a spray reagent for use on thin-layer plates, 148
——, plant, TLC of, 146
Phosphates, elution peak positions of linear phosphates in gradient elution chromatography, with an anion-exchange resin, 349
Phycobilins, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, 458
Picolines, deactivation of the GC support for the separation of aliphatic amines, 135
Picric acid, separation and identification of tetryl and related compounds by two-dimensional TLC, 453
Pigments, characterisation of an additional anthocyanin pigment in extracts of strawberries, *Fragaria*, 311
Piperonyl butoxide, analytical studies of pyrethrin formulations by GC, 49
Plant phenolics, TLC of, 146
Polyamides, gel permeation chromatography of the linear monomer and oligomers, 419
Polychlorobiphenyls, the use of Florisil adsorbent for the separation from chlorinated pesticides of, 142
Polycyclic aromatic compounds, spectrofluorometric *in situ* analysis after separation on acetylated cellulose layers; qualitative and quantative evaluation, 72
Polyethylene glycols, of different molecular weight, membrane chromatography on PVC ultrafilters, 536
——, determination of the molecular weight distribution by TLC coupled with densitometry, 304
Prednisolone, resolution of some closely related derivatives by TLC, 526
Progesterone, preparation, purification and estimation of steroid mono- and diheptafluorobutyrates, 228
Proteins, artifacts in isoelectric focusing, 469
——, determination of the Stokes radius of native and succinylated glutamate dehydrogenase on Sepharose 4B, 66
——, electrophoresis of human salivary secretions at acid pH, 345
——, a new technique of protein hydrolysis and analysis of the amino acids on an autoanalyser, 413
Protohaemin, separation and identification of biliverdin isomers and isomer analysis of phycobilins and bilirubin, 458
Pyrethrin, analytical studies of its formulations by GC, 49
Rare earth–EDTA complexes, effect of resin cross-linking on the anion-exchange separation, 487
Retention index system, contribution to the theory of, 379
Saccharides, partition chromatography of sugars on ion-exchange resins, 429
Salvia lavandulaefolia Vahl., some new trace constituents in the essential oil of, 59
Scanning of chromatograms, optical, an electrical model for the optical behaviour of thin-media chromatograms, 19

——, ——, non-linearity effects in, 30
Silicic acid, chromatographic behaviour on Sephadex columns, 523
Squalane, comparison of activity coefficients measured by a static and by a dynamic method, 10
Stationary phases, comparison of activity coefficients measured by a static and by a dynamic method, 10
——, imbrication patterns, 114
——, nickel complexes as adsorbents in GSC, 120
[9,10-^{3}H]Stearyl coenzyme A, Sephadex G-15 column separation of, 140
Steroids, analytical chemical studies on, 400
——, PC behaviour and activity of anabolic steroids, 529
——, preparation, purification and estimation of steroid mono- and diheptafluorobutyrates, 228
——, resolution of some closely related prednisolone derivatives by TLC, 526
——, a system for simultaneous 25-column, capillary column, liquid–solid chromatography, 239
Stilbenes, GLC examination of stilbene derivatives, 391
Sugars, partition chromatography on ion-exchange resins, 429
——, see also Carbohydrates
Sulphur, chromatographic separation from hydrocarbons, 155
Testosterone, PC behaviour and activity of anabolic steroids, 529
Tetryl, and related compounds, separation and identification by two-dimensional TLC, 453
Theoretical plates, a simple method for the calculation of the minimum number of theoretical plates required for a chromatographic separation, 112
Thin-layer chromatography, the possibity of quantitative analysis of products separated by TLC without eluting the products; the range of validity of a formula essential to permit this determination, 274
Thiocyanato–cyanochromates, preparation and separation of mixed hexapseudohalogenochromates(III), 319
Thioesters, chromatographic detection with 5,5′-dithiobis(2-nitrobenzoic acid), 151
Thiols, chromatographic detection with 5,5′-dithiobis(2-nitrobenzoic acid), 151
Thorium phosphate, fibrous, a new inorganic ion-exchange material suitable for making (support-free) inorganic sheets, 482
Thyronines, synthesis, purification and GC of the N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, 507
Toluenes, nitrated, GC analysis of TNT from the continuous process, 219
Trinitrotoluene, GC analysis of TNT from the continuous process, 219
Trioses, fluorescent visualisation on silica gel thin-layer chromatograms, 338
Tyrosines, synthesis, purification and GC of the N,O-dipivalyl methyl esters of the thyroid hormones and related compounds, 507
Urea, a chromogenic agent for the detection of dimethylurea on TLC plates, 145
Valine, GLC and MS of deuterium-containing amino acids as their TMS derivatives, 405
Vapour–liquid equilibria, isothermal, a rapid method for the determination of, 504

U·M·I

DUE TO TIGHT BINDING, SOME PAGES DID NOT PHOTOGRAPH WELL, RESULTING IN PRINT MISSING. THIS REPRODUCTION IS MADE FROM THE BEST COPY AVAILABLE.